MARQUIS

Shore


Shore 1 750mm centre basin

Top Thickness
Symphony: 20mm
Stone Ambassador: 20mm
Caesarstone: 20mm
Vasari: 12mm
Dekton: 12mm
Timber: 30-35mm (Above counter only)


Note:
- **Stone waste centre:** 375mm std (may vary depending on basin)

Plumbing allowance


1 DRAWER WALLMOUNT




PROFILE




2 DRAWER WALLMOUNT




PROFILE




3 DRAWER LEG



PROFILE



PLAN



Latest version: 12/05/2025

All measurements are in 'mm' and are approximate and to be used as a guide only. Installation preparations are not recommended without product onsite.

MARQUIS

Shore


Shore 2 900mm centre basin

Top Thickness
Symphony: 20mm
Stone Ambassador: 20mm
Caesarstone: 20mm
Vasari: 12mm
Dekton: 12mm
Timber: 30-35mm (Above counter only)


Note:
- **Stone waste centre:** 450mm std (may vary depending on basin)

Plumbing allowance


1 DRAWER WALLMOUNT




PROFILE




2 DRAWER WALLMOUNT




PROFILE




3 DRAWER LEG



PROFILE



PLAN



Latest version: 12/05/2025

All measurements are in 'mm' and are approximate and to be used as a guide only. Installation preparations are not recommended without product onsite.

MARQUIS

Shore


Shore 3 1200mm centre basin

Top Thickness
Symphony: 20mm
Stone Ambassador: 20mm
Caesarstone: 20mm
Vasari: 12mm
Dekton: 12mm
Timber: 30-35mm (Above counter only)


Note:
- **Stone waste centre:** 600mm std (may vary depending on basin)

Plumbing allowance


1 DRAWER WALLMOUNT




PROFILE




2 DRAWER WALLMOUNT




PROFILE




3 DRAWER LEG



PROFILE



PLAN



Latest version: 12/05/2025

All measurements are in 'mm' and are approximate and to be used as a guide only. Installation preparations are not recommended without product onsite.

MARQUIS

Shore


Shore 4 1200mm off centre basin

Top Thickness
Symphony: 20mm
Stone Ambassador: 20mm
Caesarstone: 20mm
Vasari: 12mm
Dekton: 12mm
Timber: 30-35mm (Above counter only)


Note:
- **Stone waste centre:** 425mm std (may vary depending on basin)
- **Left or Right hand basin available**

Plumbing allowance


1 DRAWER WALLMOUNT




PROFILE




2 DRAWER WALLMOUNT




PROFILE




3 DRAWER LEG



PROFILE



PLAN



Latest version: 12/05/2025

All measurements are in 'mm' and are approximate and to be used as a guide only. Installation preparations are not recommended without product onsite.

MARQUIS

Shore


Shore 5 1500mm centre basin

Top Thickness
Symphony: 20mm
Stone Ambassador: 20mm
Caesarstone: 20mm
Vasari: 12mm
Dekton: 12mm
Timber: 30-35mm (Above counter only)


Note:
• **Stone waste centre:**
750mm std (may vary depending on basin)

Plumbing allowance


1 DRAWER WALLMOUNT




PROFILE




2 DRAWER WALLMOUNT




PROFILE




3 DRAWER LEG



PROFILE



PLAN



Latest version: 12/05/2025

All measurements are in 'mm' and are approximate and to be used as a guide only. Installation preparations are not recommended without product onsite.

MARQUIS

Shore


Shore 6 1500mm off centre basin

Top Thickness
Symphony: 20mm
Stone Ambassador: 20mm
Caesarstone: 20mm
Vasari: 12mm
Dekton: 12mm
Timber: 30-35mm (Above counter only)


Note:
- **Stone waste centre:** 450mm std (may vary depending on basin)
- **Left or Right hand basin available**

Plumbing allowance


1 DRAWER WALLMOUNT




PROFILE




2 DRAWER WALLMOUNT




PROFILE




3 DRAWER LEG



PROFILE



PLAN



Latest version: 12/05/2025

All measurements are in 'mm' and are approximate and to be used as a guide only. Installation preparations are not recommended without product onsite.

MARQUIS

Shore


Shore 7 1500mm double basin

Top Thickness
Symphony: 20mm
Stone Ambassador: 20mm
Caesarstone: 20mm
Vasari: 12mm
Dekton: 12mm
Timber: 30-35mm (Above counter only)


Note:
- **Stone waste centre:** 450mm std (may vary depending on basin)

Plumbing allowance


1 DRAWER WALLMOUNT




PROFILE




2 DRAWER WALLMOUNT




PROFILE




3 DRAWER LEG



PROFILE



PLAN



Latest version: 12/05/2025

All measurements are in 'mm' and are approximate and to be used as a guide only. Installation preparations are not recommended without product onsite.

MARQUIS

Shore


Shore 8 1800mm centre basin

Top Thickness
Symphony: 20mm
Stone Ambassador: 20mm
Caesarstone: 20mm
Vasari: 12mm
Dekton: 12mm
Timber: 30-35mm (Above counter only)


Note:
- **Stone waste centre:** 900mm std (may vary depending on basin)

Plumbing allowance


2 DRAWER WALLMOUNT




PROFILE




4 DRAWER WALLMOUNT




PROFILE




6 DRAWER LEG



PROFILE



PLAN



Latest version: 12/05/2025

All measurements are in 'mm' and are approximate and to be used as a guide only. Installation preparations are not recommended without product onsite.

MARQUIS

Shore


Shore 9 1800mm off centre basin

Top Thickness
Symphony: 20mm
Stone Ambassador: 20mm
Caesarstone: 20mm
Vasari: 12mm
Dekton: 12mm
Timber: 30-35mm (Above counter only)


Note:
- **Stone waste centre:** 500mm std (may vary depending on basin)
- **Left or Right hand basin available**

Plumbing allowance


2 DRAWER WALLMOUNT




PROFILE




4 DRAWER WALLMOUNT




PROFILE




6 DRAWER LEG



PROFILE



PLAN



Latest version: 12/05/2025

All measurements are in 'mm' and are approximate and to be used as a guide only. Installation preparations are not recommended without product onsite.

MARQUIS

Shore


Shore 10 1800mm double basin

Top Thickness
Symphony: 20mm
Stone Ambassador: 20mm
Caesarstone: 20mm
Vasari: 12mm
Dekton: 12mm
Timber: 30-35mm (Above counter only)


Note:
- **Stone waste centre:** 500mm std (may vary depending on basin)

Plumbing allowance


2 DRAWER WALLMOUNT




PROFILE




4 DRAWER WALLMOUNT




PROFILE




6 DRAWER LEG



PROFILE



PLAN



Latest version: 12/05/2025

All measurements are in 'mm' and are approximate and to be used as a guide only. Installation preparations are not recommended without product onsite.